

## LIBTECH 20-21 スペック一覧

	SIZE	CONTACT LENGTH	SIDE CUT	NOSE/TAIL WIDTH	WAIST WIDTH	STANCE MIN-MAX / SET BACK
BOX SCRATCHER JESSE BURTNER	147	111	7.8	28.7 / 28.7	25.1	51.4-63.5/ 0
	151	113	8	29.1 / 29.1	25.2	51.4-63.5/ 0
	154	115	8.2	29.3 / 29.3	25.3	51.4-63.5/ 0
	157	117	8.3	29.6 / 29.6	25.5	51.4-63.5/ 0
	153W	115	8.2	30.3 / 30.3	26.3	51.4-63.5/ 0
	156W	117	8.3	30.6 / 30.6	26.5	51.4-63.5/ 0
BOX KNIFE JESSE BURTNER	148	85	8	28.6 / 28.6	25	51.4-63.5/ 0
	151	88	8.1	29 / 29	25.1	51.4-63.5/ 0
	154	91	8.2	29.1/ 29.1	25.2	51.4-63.5/ 0
	157	95	8.3	29.3 / 29.3	25.3	51.4-63.5/ 0
	157W	95	8.3	30.2 / 30.2	26.2	51.4-63.5/ 0
	160W	98	8.3	30.1 / 30.1	26.2	51.4-63.5/ 0
BANANA BLASTER	105	72	6.1	23.1 / 23.1	21	36.8-44.5/ 0
	120	80	6.6	23.5 / 23.5	21	40.6-48.9/ 0
	115	85	6.7	24.5 / 24.5	21.5	40.6-48.9/ 0
	125	90	6.8	25 / 25	22.5	44.5-53.3/ 0
T.RIPPER	141	105	7.6	27.4 / 27.4	24	45.7-59.7/ 0
	146	108	7.7	28 / 28	24.5	45.7-59.7/ 0
SKATE BANANA	152	114	8.2	28.9 / 28.9	25.2	51.4-63.5/ 0
	154	115	8.2	29 / 29	25.3	51.4-63.5/ 0
	156	117	8.3	29.5 / 29.5	25.5	51.4-63.5/ 0
	159	120	8.4	29.7 / 29.7	25.5	51.4-63.5/ 0
	153W	114	8.2	29.9 / 29.9	26.1	51.4-63.5/ 0
	156W	117	8.3	30.5 / 30.5	26.5	51.4-63.5/ 0
	159W	120	8.4	30.7 / 30.7	26.5	51.4-63.5/ 0
	162W	123	8.4	31 / 31	26.5	51.4-63.5/ 0
TRS - TOTAL RIPPER SERIES	154	115	8.2	29.2 / 29.2	25.3	51.4-63.5/ 0
	157	117	8.3	29.3 / 29.3	25.3	51.4-63.5/ 0
	159	119	8.32	29.4 / 29.4	25.3	51.4-63.5/ 0
	162	122	8.45	29.8 / 29.8	25.6	51.4-63.5/ 0
	157MW	117	8.3	30.1 / 30.1	26	51.4-63.5/ 0
	159MW	119	8.32	30.2 / 30.2	26	51.4-63.5/ 0
T.RICE PRO BLUNT	153	118.5	8	29.5 / 29.5	25.3	51.4-63.5/ 0
	155	119	8.1	29.8 / 29.8	25.5	51.4-63.5/ 0
	157	121	8.2	30.1 / 30.1	25.8	51.4-63.5/ 0
	157W	121	8.2	30.5 / 30.5	26.3	51.4-63.5/ 0
T.RICE PRO POINTY	159.5	122	8.3	30.2 / 30.2	25.9	51.4-63.5/ 0
	161.5	124.5	8.4	30.4 / 30.4	26	51.4-63.5/ 0
	164.5	127	8.5	31 / 31	26.2	51.4-63.5/ 0
	161.5W	124.5	8.4	31.1 / 31.1	26.5	51.4-63.5/ 0

## LIBTECH 20-21 スペック一覧

	SIZE	CONTACT LENGTH	SIDE CUT	NOSE/TAIL WIDTH	WAIST WIDTH	STANCE MIN-MAX / SET BACK
	164.5W	127	8.5	31.2 / 31.2	26.7	51.4-63.5/ 0
RASMAN	157	115	8.3	29.9 / 29.9	25.8	51.4-63.5/ 0
	159	117	8.3	30.1 / 30.1	26	51.4-63.5/ 0
	161	119	8.3	30.2 / 30.2	26.1	51.4-63.5/ 0
DYNASWORD	130	95	7.8	26.4 / 26.2	23.5	39.4-52.1/ 2.5
	135	100	7.9	26.9 / 26.7	23.7	39.4-52.1/ 2.5
	140	105	8	27.4 / 27.2	23.9	41.9-54.6/ 2.5
COLD BREW	149	111	8.1	29.5 / 29.2	25.6	47-61/ 3.8
	153	113	8.2	29.7/ 29.3	25.7	50.8-63.5/ 3.8
	157	115	8.3	30.4 / 30	26.2	50.8-63.5/ 3.8
	161	117	8.4	30.8 / 30.4	26.5	50.8-63.5/ 3.8
	155W	114	8.2	30.7 / 30.3	26.6	50.8-63.5/ 3.8
	158W	115	8.3	31 / 30.6	26.8	50.8-63.5/ 3.8
DYNAMO	150	105	7.8	28.2 / 27.8	24.3	47-59.7/ 2.5
	153	108	7.9	29.3 / 29	25.2	48.9-61/ 2.5
	156	111	8	29.7 / 29.4	25.5	51.4-63.5/ 2.5
	159	114	8.1	30 / 29.7	25.7	51.4-63.5/ 2.5
	162	116	8.2	30.3 / 30	25.8	51.4-63.5/ 2.5
	156W	111	8	30.7 / 30.4	26.5	51.4-63.5/ 2.5
	159W	114	8.1	31 / 30.7	26.7	51.4-63.5/ 2.5
TERRAIN WRECKER	154	117	8.2	29.6 / 29.3	25.5	51.4-63.5/ 0
	157	119	8.3	30 / 30	25.7	51.4-63.5/ 0
	160	121	8.4	30.2 / 30.2	25.9	51.4-63.5/ 0
	156W	119	8.3	31 / 31	26.7	51.4-63.5/ 0
	161W	121	8.4	31 / 31	26.7	51.4-63.5/ 0
BRD	156	117	8.3	29.7 / 28.2	25	49.5-63.5/ 6.4
	159	118	8.3	30.2 / 28.7	25.5	49.5-63.5/ 6.4
	162W	119	8.3	31.2 / 29.7	26.5	49.5-63.5/ 6.4
JAMIE LYNN	150	110	8.5	29.4 / 28.6	25.2	49.5-61.6/ 3.8
	156	112	8.7	30.2 / 29.2	25.9	51.4-63.5/ 3.8
	159	113	8.7	30 / 29	25.7	51.4-63.5/ 3.8
	160MW	113	8.7	31 / 30	26.7	51.4-63.5/ 3.8
	166W	116	9	31.3 / 30.2	26.8	51.4-63.5/ 3.8
EJACK KNIFE	154	110	8	29.9 / 29.1	25.1	51.4-63.5/ 2.5
	157	112	8	30.1 / 29.3	25.3	51.4-63.5/ 2.5
	159	114	8	30.2 / 29.4	25.4	51.4-63.5/ 2.5
	162	117	8	30.5 / 29.6	25.5	51.4-63.5/ 2.5
	159W	114	8	31.2 / 30.4	26.4	51.4-63.5/ 2.5
	162W	118	8	31.7 / 30.6	26.5	51.4-63.5/ 2.5
SWISS KNIFE BY FREDI KALBERMATTEN	158	117	8.3	30.3 / 29.1	25.7	49.5-61.6/ 0
	161	119	8.3	30.5 / 29.3	25.8	49.5-61.6/ 0

## LIBTECH 20-21 スペック一覧

	SIZE	CONTACT LENGTH	SIDE CUT	NOSE/TAIL WIDTH	WAIST WIDTH	STANCE MIN-MAX / SET BACK
T.RICE ORCA	144	102	7	30.1 / 29.1	25.5	47-59.1/ 5.1
	147	105	7	30.3 / 29.3	25.7	49.5-62.2/ 6.4
	150	108	7	31.4/30.4	26.5	49.5-62.2/ 6.4
	153	110	7	31.6/ 30.5	26.7	49.5-62.2/ 6.4
	156	113	7	31.7 / 30.6	26.7	49.5-62.2/ 6.4
	159	115	7	31.9 / 30.8	26.7	49.5-62.2/ 6.4
SKUNK APE	157W	117	8.25	30.5 / 30.5	26.8	53.3-66/ 1.3
	161W	121	8.5	30.5 / 30.5	26.8	53.3-66/ 1.3
	165W	124	8.6	30.7 / 30.7	26.8	53.3-66/ 1.3
	169W	127	8.6	31 / 31	26.8	53.3-66/ 1.3
	172W	131	8.75	31.2 / 31.2	26.8	53.3-66/ 1.3
	170UW	127	8.6	32.9 / 32.9	26.8	53.3-66/ 1.3
T.RICE GOLD MEMBER	157	115	8.2	30.2 / 30.2	25.8	51.4-63.5/ 1.9
	159	117	8.2	30.3 / 30.3	26	51.4-63.5/ 1.9
	163	122	8.2	30.5 / 30.5	26.4	51.4-63.5/ 1.9
T.RICE CLIMAX	159	117	8.2	30.3 / 30.3	25.8	51.4-63.5/ 1.9
	163	122	8.2	30.5 / 30.5	26.4	51.4-63.5/ 1.9
SPLIT BRD	151	112	8.1	29.1 / 27.6	24.5	49.5-63.5/ 6.4
	156	115	8.2	29.7 / 28.1	25	49.5-63.5/ 6.4
	159	118	8.3	30.2/28.7	25.5	49.5-63.5/ 6.4
	162W	119	8.3	31.2 / 29.7	26.5	49.5-63.5/ 6.4
	167W	120	8.4	31.5 / 30	26.5	49.5-63.5/ 6.4
T.RICE GOLD MEMBER SPLIT	159	117	8.2	30.3 / 30.3	26	51.4-63.5/ 1.9
	163	122	8.2	30.5 / 30.5	26.4	51.4-63.5/ 1.9
...LOST x LIB ROCKET	152.5	110.5	6.5	30.7 / 28.9	25.6	49.5-61.6/ 6.4
	157.5	114.5	7	31.8 / 29.8	26.4	49.5-61.6/ 6.4
	161.5	118.5	7.5	31.8 / 29.8	26.5	49.5-61.6/ 6.4
DOUBLE DIP	159	110	8	30.3 / 30.3	26.8	51.4-63.5/ 0
	163	112	8	30.5 / 30.5	26.8	51.4-63.5/ 0
MC WAYFINDER II	155	107	6.2	32 / 30.8	26.2	48.9-61/ 10.2
MC SNAKE KINK	159	116	8.35	29.8 / 29.8	25.3	48.9-61/ 5.1
JAMIE LYNN SHORT WIDE	150	92	6	31.6 / 31	27	49.5-61.6/ 7.6
...LOST x LIB QUIVER KILLER	154	114	8	30.1 / 29.2	26	50.8-63.5/ 5.1
	159	118	8.3	30.9 / 30	26.8	50.8-63.5/ 5.1
STUMP APE	157W	116	7	33.6 / 31.6	28.1	49.5-61.6/ 5.1
	160W	119	7.5	33.7 / 31.7	28.3	49.5-61.6/ 5.1
	163W	121	8	33.8 / 31.8	28.4	49.5-61.6/ 5.1
...LOST x LIB RETRO RIPPER	156	100	8.7	30.2 / 28.8	25.7	45.7-62.2/12.7
	166	118	8.3	32.2 / 30.7	27.3	48.3-64.8/ 12.7
MAGIC BM	157	113	7	30.5 / 30.5	26.1	51.4-63.5/ 2.5
	161	116	7	31.1 / 31.1	26.5	51.4-63.5/ 2.5

## LIBTECH 20-21 スペック一覧

	SIZE	CONTACT LENGTH	SIDE CUT	NOSE/TAIL WIDTH	WAIST WIDTH	STANCE MIN-MAX / SET BACK
DOUGHBOY SHREDDER	195	142	8.5-9-8.5	32.2 / 32.2	26.1	50.8-63.5/ 6.4
RYME	141	108	8	27.1 / 27.1	23.6	47.6-59.7/ 0
	144	110	8	27.3 / 27.3	23.8	47.6-59.7/ 0
	147	112	8	27.5 / 27.5	24	47.6-59.7/ 0
	150	114	8	28 / 28	24.2	47.6-59.7/ 0
GLIDER	139	103	7.6	26.1 / 26.1	22.6	43.8-55.9/ 0
	143	106	7.8	27.2 / 27.2	23.8	45.1-57.2/ 0
	147	111	8	28 / 28	24.3	47-59.7/ 0
No.43	143	105	7.7	27 / 27	23.4	47-59.7/ 0
	146	111	7.9	27.1 / 27.1	23.5	47.6-59.7/ 0
	149	114	8	27.7 / 27.7	23.9	47.6-59.7/ 0
	152	117	8	27.8 / 27.8	23.9	47.6-59.7/ 0
CORTADO	142	107	8	28.1 / 27.8	24.5	43.8-55.9/ 3.8
	145	109	8	28.7 / 28.4	24.9	43.8-55.9/ 3.8
	148	111	8	28.9 / 28.6	24.9	45.1-57.2/ 3.8
	151	113	8	29.2 / 28.8	25.1	47-59.7/ 3.8
DYNAMISS	142	102	7.7	27.4 / 27.2	23.9	45.1-57.2/ 2.5
	145	104	7.8	27.9 / 27.5	24.1	45.1-57.2/ 2.5
	149	106	7.9	28.2 / 27.8	24.3	47-59.7/ 2.5
	153	108	8	28.6 / 28.2	24.5	48.9-61/ 2.5
	156	110	8.1	28.9 / 28.6	24.7	48.9-61/ 2.5